


12/19/05

=> d abs fbib 1-15

L7 ANSWER 1 OF 15 CAPLUS COPYRIGHT 2005 ACS on STN
GI



AB The present invention relates to bisarylurea derivs. (shown as I; variables defined below; e.g. 4-[4-[3-[4-chloro-5-methyl-2-(2-methylaminoethoxy)phenyl]ureido]phenoxy]pyridine-2-carboxylic acid methylamide (shown as II)), their use as inhibitors of raf-kinase (no data) and for the manufacture of a pharmaceutical composition and a method of treatment, comprising administering said pharmaceutical composition to a patient. Methods of preparation are claimed and >100 example preps. are included. For example, 1-[2-[2-[(tert-butoxycarbonyl)(methyl)amino]ethoxy]-5-(trifluoromethyl)phenyl]-3-[4-[[2-(methylcarbamoyl)pyridin-4-yl]oxy]phenyl]urea was prepared (87 %) by reacting tert-Bu [2-[2-amino-4-(trifluoromethyl)phenoxy]ethyl](methyl)carbamate (preparation given) with p-nitrophenyl chloroformate followed by N-methyl-4-(4-aminophenoxy)pyridine-2-carboxamide (preparation given) and DIPEA; deprotection gave 86 % 1-[2-[2-(methylamino)ethoxy]-5-(trifluoromethyl)phenyl]-3-[4-[[2-(methylcarbamoyl)pyridin-4-yl]oxy]phenyl]urea. For I: Ar1, Ar2 = aromatic hydrocarbons containing 6 to 14 C atoms and ethylenic unsatd. or aromatic heterocyclic residues containing 3 to 10 C atoms and one or two heteroatoms, = N, O and S; E, G, M, Q and U = C and N atoms, with the proviso that ≥ 1 of E, G, M, Q and U are C atoms and that X is bonded to a C atom. R7 = Het, OHet, N(R11)Het, (CR5R6)kHet, et al. or R7 = -SO2-CR8:CR8-, wherein both valencies are bound vicinally to Ar1; R8, R9 and R10 = H, A, cycloalkyl comprising 3 to 7 C atoms, Hal, et al.; Y = O, S; NR21, C(R22)-NO2, C(R22)-CN and C(CN)2; g = 1-3, preferably 1 or 2, p, r = 0-5; q = 0-4, preferably 0, 1 or 2; addnl. details are given in the claims.

AN 2005:823661 CAPLUS

DN 143:229726

TI Preparation of 1,3-diarylureas as inhibitors of raf and other kinases useful against cancer and other diseases

IN Buchstaller, Hans-Peter; Burgdorf, Lars; Stieber, Frank; Amendt, Christiane; Grell, Matthias; Sirrenberg, Christian; Zenke, Frank


10071248

12/19/05

PA Merck Patent G.m.b.H., Germany
SO PCT Int. Appl., 264 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005075425	A2	20050818	WO 2005-EP387	20050117
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
				EP 2004-2092	A 20040130

L7 ANSWER 2 OF 15 CAPLUS COPYRIGHT 2005 ACS on STN
GI



I

AB Provided herein are linker compds. and conjugates that include the linker compds. In one embodiment, the linker compds. comprise 2 or 3 residues of 6-aminohexanoic acid and optionally 7-10 residues of polyethyleneglycol (PEG). The linker compds. are useful in forming conjugates with one or more components useful in biopharmaceutical or bioanal. applications. In particular, the biopharmaceutically useful compds. are kinase inhibitors. The conjugates described herein have utility in a variety of diagnostic, separation, and therapeutic applications. Thus, I was prepared from SB 202190, PEG-azide and the biotin-linker compound

AN 2005:614536 CAPLUS
DN 143:115392


10071248

12/19/05

TI Preparation of conjugated small molecules for diagnostic and therapeutic use
IN Grotzfeld, Robert M.; Milanov, Zdravko V.; Patel, Hitesh K.; Lai, Andiliy G.; Mehta, Shamal A.; Lockhart, David J.
PA Ambit Biosciences Corp., USA
SO U.S. Pat. Appl. Publ., 63 pp.
CODEN: USXXCO
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2005153371	A1	20050714	US 2005-31638	20050107
				US 2004-535173P	P 20040107
				US 2004-557941P	P 20040330
	WO 2005067644	A2	20050728	WO 2005-US456	20050107
	WO 2005067644	A3	20051013		
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
				US 2004-535173P	P 20040107
				US 2004-557941P	P 20040330

L7 ANSWER 3 OF 15 CAPLUS COPYRIGHT 2005 ACS on STN
GI



AB Title compound I is prepared I and salts thereof is prepared in several steps from 3-fluoro-4-nitrophenol, 4-chloro-N-methylpyridine-2-carboxamide and 4-chloro-3-(trifluoromethyl)phenylisocyanate. I inhibits PDGFR tyrosine kinase with IC50 = 83nM. I is useful for the treatment of, e.g., inflammation and as an antiproliferative agent.
AN 2005:99470 CAPLUS
DN 142:197889
TI Fluoro substituted omega-carboxyaryl diphenyl urea for treatment of raf, VEGFR, PDGFR, p38 and flt-3 kinase-mediated diseases
IN Dumas, Jacques; Boyer, Stephen; Riedl, Bernd; Wilhelm, Scott
PA Bayer Pharmaceuticals Corporation, USA

10071248

12/19/05

SO PCT Int. Appl., 68 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005009961	A2	20050203	WO 2004-US23500	20040722
	WO 2005009961	A3	20050331		
	WO 2005009961	B1	20050602		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
				US 2003-489102P	P 20030723
				US 2004-540326P	P 20040202
	US 2005038080	A1	20050217	US 2004-895985	20040722
				US 2003-489102P	P 20030723
				US 2004-540326P	P 20040202

L7 ANSWER 4 OF 15 CAPLUS COPYRIGHT 2005 ACS on STN

AB The present invention provides methods for treating and/or preventing conditions and diseases in humans and other mammals that are associated with and/or mediated by signal transduction pathways comprising platelet-derived growth factor receptor (PDGFR), especially PDGFR- β , by administering diaryl ureas. The present invention also provides devices and methods for treating, ameliorating, preventing, or modulating restenosis following angioplastic surgery or other invasive procedures that affect or injure the vascular system, and graft rejection following transplantation of a donor tissue into a host, where a stent or other implantable device comprises an effective amount of diaryl ureas. For example, N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl] urea, N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]-2-fluorophenyl] urea, and N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]-2-chlorophenyl]urea showed an IC₅₀ of less than 10 μ M in a pPDGFR- β sandwich ELISA in AoSMC cells.

AN 2005:14200 CAPLUS

DN 142:86701

TI Diaryl ureas for treatment of diseases mediated by PDGFR

IN Wilhelm, Scott; Dumas, Jacques; Ladouceur, Gaetan; Lynch, Mark; Scott, William J.

PA Bayer Pharmaceuticals Corporation, USA

SO PCT Int. Appl., 47 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005000284	A2	20050106	WO 2004-US15653	20040519
	WO 2005000284	A3	20050310		

10071248

12/19/05

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

			US 2003-471735P	P	20030520
			US 2003-520399P	P	20031117
			US 2004-556062P	P	20040325
US 2005059703	A1	20050317	US 2004-848567		20040519
			US 2003-471735P	P	20030520
			US 2003-520399P	P	20031117
			US 2004-556062P	P	20040325

PATENT FAMILY INFORMATION:

FAN 2004:1154653


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004113274	A2	20041229	WO 2004-US15655	20040519
	WO 2004113274	A3	20050303		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			

			US 2003-471735P	P	20030520
			US 2003-520399P	P	20031117
			US 2004-556062P	P	20040325
US 2005059703	A1	20050317	US 2004-848567		20040519
			US 2003-471735P	P	20030520
			US 2003-520399P	P	20031117
			US 2004-556062P	P	20040325

OS MARPAT 142:86701

L7 ANSWER 5 OF 15 CAPLUS COPYRIGHT 2005 ACS on STN

GI



I

10071248

12/19/05

AB Diaryl ureas B-NH-CO-NH-L-(CH₂)_m-X-(CH₂)_p-L₁-(Q)₁₋₃ [I; B = (un)substituted Ph, naphthyl, or heteroaryl; L, =(un)substituted Ph, naphthyl, or heteroaryl; X = bond, O, CO, NR₃, NR₃CO, S, CONR₃, CF₂, CCl₂, CHF, CH(OH), C.tplbond.C, CH:CH, CR₄R₅; m, p = independently 0-4; L₁ = any group L, 5-6 membered cyclic structure; Q = independently COR₄, CO₂R₄, CONR₄R₅; each R₃-R₅ = independently H, (un)substituted C₁₋₅ alkyl, C₃₋₅ cycloalkyl, Ph, C₁₋₃ alkylphenyl, C₀₋₄ alkylheteroaryl], useful to treat diseases and conditions associated with signal transduction pathways comprising of at least one of raf, VEGFR, PDGFR, p38 and/or FLT-3. E.g., a multi-step synthesis of the urea II which produced dose-dependent 45-68% inhibition of tumor growth in a staged HCT 116 colon (mutant k-Ras) xenograft model.

AN 2004:1154653 CAPLUS

DN 142:93545

TI Preparation of diaryl ureas with kinase inhibiting activity

IN Wilhelm, Scott; Dumas, Jacques; Ladouceur, Gaetan; Lynch, Mark; Scott, William J.

PA Bayer Pharmaceuticals Corporation, USA

SO PCT Int. Appl., 122 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004113274	A2	20041229	WO 2004-US15655	20040519
	WO 2004113274	A3	20050303		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
				US 2003-471735P	P 20030520
				US 2003-520399P	P 20031117
				US 2004-556062P	P 20040325
	US 2005059703	A1	20050317	US 2004-848567	20040519
				US 2003-471735P	P 20030520
				US 2003-520399P	P 20031117
				US 2004-556062P	P 20040325

PATENT FAMILY INFORMATION:

FAN 2005:14200

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005000284	A2	20050106	WO 2004-US15653	20040519
	WO 2005000284	A3	20050310		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,			

10071248

12/19/05

AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
SN, TD, TG

			US 2003-471735P	P	20030520
			US 2003-520399P	P	20031117
			US 2004-556062P	P	20040325
US 2005059703	A1	20050317	US 2004-848567		20040519
			US 2003-471735P	P	20030520
			US 2003-520399P	P	20031117
			US 2004-556062P	P	20040325

OS MARPAT 142:93545

L7 ANSWER 6 OF 15 CAPLUS COPYRIGHT 2005 ACS on STN

AB Three-dimensional quant. structure activity relationship (3D-QSAR) analyses were carried out on 91 substituted ureas in order to understand their Raf-1 kinase inhibitory activities. The studies include Comparative Mol. Field Anal. (Co-MFA) and Comparative Mol. Similarity Indexes Anal. (Co-MSIA). Models with good predictive abilities were generated with the cross validated r^2 (r^2_{cv}) values for Co-MFA and Co-MSIA being 0.53 and 0.44, resp. The conventional r^2 values are 0.93 and 0.87 for Co-MFA and Co-MSIA, resp. In addition, a homol. model of Raf-1 was also constructed using the crystal structure of the kinase domain of B-Raf isoform with one of the most active Raf-1 inhibitors (I) inside the active site. The ATP binding pocket of Raf-1 is virtually similar to that of B-Raf. Selected ligands were docked in the active site of Raf-1. Mol. I adopts an orientation similar to that inside the B-Raf active site. The 4-pyridyl group bearing amide substituent is located in the adenosine binding pocket, and anchored to the protein through a pair of hydrogen bonds with Cys424 involving ring N-atom and amide NH group. The results of best 3D-QSAR model were compared with structure-based studies using the Raf-1 homol. model. The results of 3D-QSAR and docking studies validate each other and provided insight into the structural requirements for activity of this class of mols. as Raf-1 inhibitors. Based on these results, novel mols. with improved activity can be designed.

AN 2004:1004044 CAPLUS

DN 142:126552

TI 3D-QSAR CoMFA, CoMSIA studies on substituted ureas as Raf-1 kinase inhibitors and its confirmation with structure-based studies

AU Thaimattam, Ram; Daga, Pankaj; Rajjak, Shaikh Abdul; Banerjee, Rahul; Iqbal, Javed

CS Department of Molecular Modeling and Drug Design, Discovery Research, Dr. Reddy's Laboratories Ltd., Hyderabad, 500 049, India

SO Bioorganic & Medicinal Chemistry (2004), 12(24), 6415-6425
CODEN: BMECEP; ISSN: 0968-0896

PB Elsevier Ltd.

DT Journal

LA English

RE.CNT 29 THERE ARE 29 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 7 OF 15 CAPLUS COPYRIGHT 2005 ACS on STN

AB Urea derivs. of formula A-NHCONH-B or pharmaceutically acceptable salts thereof [A = a substituted moiety of up to 40 carbon atoms of the formula -L-(M-L1)q; where L = a 5 or 6 membered cyclic structure bound directly to D; L1 = a substituted cyclic moiety having at least 5 members; M = a bridging group having at least one atom; q = an integer of 1-3; each cyclic structure of L and L1 contains 0-4 members of the group consisting of nitrogen, oxygen and sulfur; B = a substituted or unsubstituted, up to

10071248

12/19/05

tricyclic aryl or heteroaryl moiety of up to 30 carbon atoms with at least one 6-member cyclic structure bound directly to D containing 0-4 members of the group consisting of nitrogen, oxygen and sulfur] are prepared These compds. are useful for raf mediated diseases, in particular a cancerous cell growth mediated by raf kinase. All compds. exemplified, e.g. N-[4-Chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea, displayed IC50 of between 1 mM and 10 µM.

AN 2003:874965 CAPLUS

DN 139:364958

TI Preparation of omega-carboxyaryl substituted diphenyl ureas as raf kinase inhibitors

IN Riedl, Bernd; Dumas, Jacques; Khire, Uday; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.; Wood, Jill E.; Monahan, Mary-Katherine; Natero, Reina; Renick, Joel; Sibley, Robert N.

PA Bayer Corporation, USA

SO U.S. Pat. Appl. Publ., 60 pp.

CODEN: USXXCO

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2003207872	A1	20031106	US 2002-42226	20020111
				US 2002-42226	20020111

OS MARPAT 139:364958

L7 ANSWER 8 OF 15 CAPLUS COPYRIGHT 2005 ACS on STN

AB Aryl ureas of formula A-NHCONH-B [A = a substituted moiety of up to 40 carbon atoms of the formula: -L-(M-L1)q (where L = a 5 or 6 membered cyclic structure bound directly to D, L1 comprises a substituted cyclic moiety having at least 5 members; M = a bridging group having at least one atom; q = an integer of from 1-3; each cyclic structure of L and L1 contains 0-4 members of the group consisting of nitrogen, oxygen and sulfur); B = a substituted or unsubstituted, up to tricyclic aryl or heteroaryl moiety of up to 30 carbon atoms with at least one 6-member cyclic structure bound directly to D containing 0-4 members of the group consisting of nitrogen, oxygen and sulfur] are prepared These urea derivs. are useful for treating raf mediated diseases, in particular cancerous cell growth mediated by raf kinase. Thus, N-[4-bromo-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea. Thus, a solution of 4-bromo-3-(trifluoromethyl)phenyl isocyanate (8.0 g, 30.1 mmol) in CH2Cl2 (80 mL) was added dropwise to a solution of 4-[2-(N-methylcarbamoyl)-4-pyridyloxy]aniline (7.0 g, 28.8 mmol) in CH2Cl2 (40 mL) at 0°, stirred at room temperature for 16 h, and filtered to give, after washing the yellow solids, washing with CH2Cl2 (2 + 50 mL), and drying under reduced pressure (approx. 1 mmHg) at 40° to give N-[4-bromo-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea. All compds. exemplified showed IC50 between 1 nM to 10 µM against raf kinase.

AN 2003:757329 CAPLUS

DN 139:276918

TI Preparation of omega-carboxyaryl substituted diphenyl ureas as raf kinase inhibitors

IN Riedl, Bernd; Dumas, Jacques; Khire, Uday; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.; Wood, Jill E.; Monahan, Mary-katherine; Natero, Reina; Renick, Joel; Sibley, Robert N.

PA Bayer Corporation, USA


SO U.S. Pat. Appl. Publ., 61 pp.

10071248

12/19/05

CODEN: USXXCO
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2003181442	A1	20030925	US 2001-993647	20011127
				US 2001-993647	20011127
OS	MARPAT 139:276918				
L7	ANSWER 9 OF 15	CAPLUS	COPYRIGHT 2005	ACS on STN	
GI					



AB Aryl ureas, such as I [R = Cl, Br; R2 = OH, NH2, NHMe, NHCH2OH, alkoxy; n = 0, 1], were prepared for use in pharmaceutical compns. for the treatment of raf kinase and p38 kinase mediated diseases. These ureas are useful for the treatment of inflammation, osteoporosis, angiogenesis disorders and hyper-proliferative disorders, such as cancer. Thus, urea I (R = Cl, R2 = NHMe, n = 1) was prepared with 57% yield by N-oxidation of I (R = Cl, R2 = NHMe, n = 0) using 3-chloroperbenzoic acid in CH2Cl2 and THF. The prepared ureas were assayed for inhibition of p38 kinase and raf kinase, as well as for cancer cell growth inhibition in human cancer cell lines, such as HCT116 and DLD-1.

AN 2003:656745 CAPLUS

DN 139:197377

TI Preparation of aryl ureas for therapeutic use as kinase inhibitors

IN Dumas, Jacques; Scott, William J.; Chien, Du-Schieng; Lee, Wendy; Bjorge, Susan; Musza, Laszlo L.; Nassar, Ala; Riedl, Bernd

PA Bayer Corporation, USA; Bayer Pharmaceuticals Corporation

SO PCT Int. Appl., 64 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003068746	A1	20030821	WO 2003-US4109	20030211
	WO 2003068746	C1	20050506		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW				
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
				US 2002-354937P	P 20020211
CA 2475818	AA	20030821	CA 2003-2475818		20030211

10071248


12/19/05

			US 2002-354937P	P	20020211
			WO 2003-US4109	W	20030211
US 2003216446	A1	20031120	US 2003-361859		20030211
			US 2002-354937P	P	20020211
EP 1474393	A1	20041110	EP 2003-707848		20030211
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK					
			US 2002-354937P	P	20020211
			WO 2003-US4109	W	20030211
JP 2005523278	T2	20050804	JP 2003-567877		20030211
			US 2002-354937P	P	20020211
			WO 2003-US4109	W	20030211
EP 1580188	A1	20050928	EP 2005-7027		20030211
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, CY, TR, BG, CZ, EE, HU, SK					
			US 2002-354937P	P	20020211
			EP 2003-707848	A3	20030211

OS MARPAT 139:197377

RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 10 OF 15 CAPLUS COPYRIGHT 2005 ACS on STN
GI



AB The title ureas containing a pyridine, quinoline, or isoquinoline functionality which is oxidized at the nitrogen heteroatom MLBNHCONHA [A = (un)substituted Ph, naphthyl, 5-6 membered monocyclic heteroaryl, 8-10 membered bicyclic heteroaryl; B = (un)substituted phenylene, naphthylene, 5-6 membered monocyclic heteroarylene, 8-10 membered bicyclic heteroarylene; L = (CH₂)mO(CH₂)l, (CH₂)m(CH₂)l, (CH₂)mCO(CH₂)l, etc.; m, l = 0-4; M = (un)substituted pyridine-1-oxide, quinoline-1-oxide, isoquinoline-1-oxide; with the provisos] which are useful in the treatment of (i) raf mediated diseases, for example, cancer, (ii) p38 mediated diseases such as inflammation and osteoporosis, and (iii) VEGF mediated diseases such as angiogenesis disorders, were claimed. Preparation of two ureas such as I [R = H, Me] which are not compds. of the invention, and have been distinguished from the compds. of the invention by a proviso, was described. Pharmaceutical composition comprising the title ureas was claimed.

AN 2003:656581 CAPLUS

DN 139:197370

TI Preparation of aryl ureas containing pyridine, quinoline and isoquinoline N-oxide functionality as kinase inhibitors

IN Dumas, Jacques; Scott, William J.; Riedl, Bernd

PA Bayer Corporation, USA

SO PCT Int. Appl., 67 pp.

CODEN: PIXXD2

DT Patent

10071248

12/19/05

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003068229	A1	20030821	WO 2003-US4110	20030211
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	US 2003216396	A1	20031120	US 2002-354935P	P 20020211
				US 2003-361850	20030211
				US 2002-354935P	P 20020211

OS MARPAT 139:197370

RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 11 OF 15 CAPLUS COPYRIGHT 2005 ACS on STN

AB ADB [I; D = NHCONH; A = L(ML1)q; L = 5-6 membered cyclic structure bound directly to D; L1 = substituted cyclic moiety having ≥ 5 members, M = bridging group having ≥ 1 atom; q = 1-3; L, L1 contain 0-4 N, O, S; B = (substituted) up to tricyclic aryl, heteroaryl of ≤ 30 C atoms with ≥ 1 6-membered cyclic structure bound directly to D containing 0-4 N, O, S], were prepared Thus,

4-chloro-3-(trifluoromethyl)phenyl

isocyanate in CH₂Cl₂ was added dropwise to a suspension of 4-[2-(N-methylcarbamoyl)-4-pyridyloxy]aniline (preparation given) in CH₂Cl₂ at 0°; the resulting mixture was stirred at room temperature for 22 h. to afford N-[4-chloro-3-(trifluoromethyl)phenyl]-N'-[4-[2-(N-methylcarbamoyl)-4-pyridyloxy]phenyl]urea. I inhibited RAF kinase in the range 1 nM-1 μ M. I pharmaceutical compns. are claimed.

AN 2003:590832 CAPLUS

DN 139:149528

TI Preparation of diphenylureas as RAF kinase inhibitors

IN Riedl, Bernd; Dumas, Jacques; Khire, Uday; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.; Wood, Jill E.; Monahan, Mary-katherine; Natero, Reina; Renick, Joel; Sibley, Robert N.

PA Bayer Corporation, USA

SO U.S. Pat. Appl. Publ., 62 pp., Cont. of U. S. Ser. No. 42,203.

CODEN: USXXCO

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2003144278	A1	20030731	US 2002-283248	20021030
				US 2001-367380P	P 20010112
				US 2002-42203	A1 20020111


OS MARPAT 139:149528

L7 ANSWER 12 OF 15 CAPLUS COPYRIGHT 2005 ACS on STN

GI

10071248

12/19/05



AB Title compds. B-NHCONH-L-(M-L1)q (I) [B = (un)substituted pyridyl, quinolinyl, isoquinolinyl; L = 5 or 6 membered cyclic structure; L1 = substituted cyclic moiety having at least 5 members; M = bridging group having at least one atom; q = 1-3; with proviso that L and L1 contain 0-4 hetero atoms, e.g., N, O and S] and their pharmaceutically acceptable salts were prepared For example, coupling of aniline II, e.g., prepared from Et 3-hydroxybenzoate in 4-steps, with bis(trichloromethyl)carbonate followed by 3-tert-butylaniline afforded urea III. In in vitro raf kinase assays, 112-specific examples of compds. I inhibited kinase activity with IC50 values ranging from 10 nM-10 µM. Compds. I are useful for the treatment of cancerous cell growth mediated by raf kinase.

AN 2002:850357 CAPLUS

DN 137:352907

TI Preparation of quinolyl, isoquinolyl or pyridyl-ureas as inhibitors of raf kinase for the treatment of tumors and/or cancerous cell growth

IN Dumas, Jacques; Riedl, Bernd; Khire, Uday; Wood, Jill E.; Robert, Sibley N.; Monahan, Mary-Katherine; Renick, Joel; Gunn, David E.; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.

PA Bayer Corporation, USA

SO U.S. Pat. Appl. Publ., 63 pp., Cont.-in-part of U.S. Ser. No. 758,548. CODEN: USXXCO

DT Patent

LA English

FAN.CNT 5

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2002165394	A1	20021107	US 2001-777920	20010207
				US 1999-115877P	P 19990113
				US 1999-257266	B2 19990225
				US 1999-425228	B2 19991022
				US 2001-758548	A2 20010112
	ZA 2001005751	A	20030714	ZA 2001-5751	20010712
				US 1999-115877P	P 19990113
	US 2002137774	A1	20020926	US 2001-907970	20010719
				US 1999-115877P	P 19990113
	WO 2002062763	A2	20020815	WO 2002-US3361	20020207
	WO 2002062763	A3	20021010		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

10071248

12/19/05

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,
CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,
BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

			US 2001-777920	A	20010207
US 2003139605	A1	20030724	US 2002-71248		20020211
			US 1999-115877P	P	19990113
			US 1999-115878P	P	19990113
			US 1999-257266	B2	19990225
			US 1999-425228	B1	19991022
			US 2001-948915	A1	20010910

PATENT FAMILY INFORMATION:

FAN 2000:493376

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2000041698	A1	20000720	WO 2000-US768	20000113
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
			US 1999-115878P	P 19990113
			US 1999-257265	A2 19990225
			US 1999-425229	A2 19991022
CA 2359244	AA	20000720	CA 2000-2359244	20000113
			US 1999-115878P	P 19990113
			US 1999-257265	A 19990225
			US 1999-425229	A 19991022
			WO 2000-US768	W 20000113
EP 1158985	A1	20011205	EP 2000-905597	20000113
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
			US 1999-115878P	P 19990113
			US 1999-257265	A 19990225
			US 1999-425229	A 19991022
			WO 2000-US768	W 20000113
US 2003139605	A1	20030724	US 2002-71248	20020211
			US 1999-115877P	P 19990113
			US 1999-115878P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	B1 19991022
			US 2001-948915	A1 20010910
US 2003105091	A1	20030605	US 2002-86417	20020304
			US 1999-115878P	P 19990113
			US 1999-257265	B2 19990225
			US 1999-425229	B1 19991022

FAN 2000:493516

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2000042012	A1	20000720	WO 2000-US648	20000112
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				

10071248

12/19/05

RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,		
DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF,		
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG		
		US 1999-115877P P 19990113
		US 1999-257266 A2 19990225
		US 1999-425228 A2 19991022
CA 2359510	AA	20000720 CA 2000-2359510 20000112
		US 1999-115877P P 19990113
		US 1999-257266 A 19990225
		US 1999-425228 A 19991022
		WO 2000-US648 W 20000112
AU 2000025016	A5	20000801 AU 2000-25016 20000112
		US 1999-115877P P 19990113
		US 1999-257266 A 19990225
		US 1999-425228 A 19991022
		WO 2000-US648 W 20000112
EP 1140840	A1	20011010 EP 2000-903239 20000112
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,		
IE, SI, LT, LV, FI, RO		
		US 1999-115877P P 19990113
		US 1999-257266 A 19990225
		US 1999-425228 A 19991022
		WO 2000-US648 W 20000112
EE 200100368	A	20030415 EE 2001-368 20000112
		US 1999-115877P P 19990113
		US 1999-257266 A 19990225
		US 1999-425228 A 19991022
		WO 2000-US648 W 20000112
JP 2003526613	T2	20030909 JP 2000-593580 20000112
		US 1999-115877P P 19990113
		US 1999-257266 A 19990225
		US 1999-425228 A 19991022
		WO 2000-US648 W 20000112
BR 2000007487	A	20030923 BR 2000-7487 20000112
		US 1999-115877P P 19990113
		US 1999-257266 A 19990225
		US 1999-425228 A 19991022
		WO 2000-US648 W 20000112
US 2001011135	A1	20010802 US 2001-773659 20010202
		US 1999-115877P P 19990113
		US 1999-257266 B2 19990225
		US 1999-425228 A1 19991022
US 2001011136	A1	20010802 US 2001-773675 20010202
		US 1999-115877P P 19990113
		US 1999-257266 B2 19990225
		US 1999-425228 A1 19991022
US 2001016659	A1	20010823 US 2001-773672 20010202
		US 1999-115877P P 19990113
		US 1999-257266 B2 19990225
		US 1999-425228 A1 19991022
US 2001027202	A1	20011004 US 2001-773658 20010202
		US 1999-115877P P 19990113
		US 1999-257266 B2 19990225
		US 1999-425228 A1 19991022
US 2001034447	A1	20011025 US 2001-773604 20010202
		US 1999-115877P P 19990113
		US 1999-257266 B2 19990225
		US 1999-425228 A1 19991022
NO 2001003463	A	20010912 NO 2001-3463 20010712

10071248


12/19/05

			US 1999-115877P	P	19990113
			US 1999-257266	A	19990225
			US 1999-425228	A	19991022
			WO 2000-US648	W	20000112
ZA 2001005751	A	20030714	ZA 2001-5751		20010712
			US 1999-115877P	P	19990113
US 2002137774	A1	20020926	US 2001-907970		20010719
			US 1999-115877P	P	19990113
BG 105763	A	20020329	BG 2001-105763		20010801
			US 1999-115877P	P	19990113
			US 1999-257266	A	19990225
			US 1999-425228	A	19991022
			WO 2000-US648	W	20000112
HR 2001000580	A1	20020831	HR 2001-580		20010802
			US 1999-115877P	P	19990113
			US 1999-257266	A	19990225
			US 1999-425228	A	19991022
			WO 2000-US648	W	20000112
US 2002042517	A1	20020411	US 2001-948915		20010910
			US 1999-115877P	P	19990113
			US 1999-257266	B2	19990225
			US 1999-425228	B1	19991022
US 2003139605	A1	20030724	US 2002-71248		20020211
			US 1999-115877P	P	19990113
			US 1999-115878P	P	19990113
			US 1999-257266	B2	19990225
			US 1999-425228	B1	19991022
			US 2001-948915	A1	20010910
FAN 2002:409267					
PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
-----	----	-----	-----		-----
PI US 2002065296	A1	20020530	US 2001-838286		20010420
			US 1999-115878P	P	19990113
			US 1999-257265	B1	19990225
			US 1999-425229	A2	19991022
			US 2001-778039	A2	20010207
US 2003139605	A1	20030724	US 2002-71248		20020211
			US 1999-115877P	P	19990113
			US 1999-115878P	P	19990113
			US 1999-257266	B2	19990225
			US 1999-425228	B1	19991022
			US 2001-948915	A1	20010910
CA 2443952	AA	20021031	CA 2002-2443952		20020417
			US 2001-838286	A	20010420
			WO 2002-US12064	W	20020417
WO 2002085859	A1	20021031	WO 2002-US12064		20020417
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,					
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,					
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,					
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL,					
PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG,					
US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM					
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,					
CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,					
BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG					
			US 2001-838286	A	20010420
EP 1379507	A1	20040114	EP 2002-725709		20020417
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,					
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR					

10071248

12/19/05

				US 2001-838286	A	20010420
				WO 2002-US12064	W	20020417
	JP 2004537511	T2	20041216	JP 2002-583386		20020417
				US 2001-838286	A	20010420
				WO 2002-US12064	W	20020417
FAN	2002:615574					
	PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
	-----	----	-----	-----		-----
PI	WO 2002062763	A2	20020815	WO 2002-US3361		20020207
	WO 2002062763	A3	20021010			
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	US 2002165394	A1	20021107	US 2001-777920	A	20010207
				US 2001-777920		20010207
				US 1999-115877P	P	19990113
				US 1999-257266	B2	19990225
				US 1999-425228	B2	19991022
				US 2001-758548	A2	20010112
OS	MARPAT 137:352907					
L7	ANSWER 13 OF 15	CAPLUS	COPYRIGHT 2005 ACS on STN			
GI						



AB Title compds., e.g., RNHCONHZOR1 [I; R = C₆H₄(CMe₃)-3, 2-methoxy-5-trifluoromethylphenyl, 4-chloro-3-trifluoromethylphenyl, 2-methoxy-3-quinolyl, etc.; R1 = (un)substituted acylphenyl, -acylpyridinyl, etc.; Z = (un)substituted 1,3- or -1,4-phenylene] were prepared Thus, 4-(H₂N)C₆H₄OC₆H₄(CONHMe)-4 (preparation given) was condensed with 3-(Me₃C)C₆H₄NH₂ and CO(OCCL₃)₂ to give title compound II. Data for biol. activity of title compds. were given.

AN 2002:615574 CAPLUS

DN 137:169425

TI Preparation of N-aryl-N'-[(acylphenoxy)phenyl]ureas as raf kinase inhibitors

IN Dumas, Jacques; Riedl, Bernd; Khire, Uday; Wood, Jill E.; Sibley, Robert N.; Monahan, Mary-Katherine; Renick, Joel; Gunn, David E.; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.

10071248

12/19/05

PA Bayer Corporation, USA
SO PCT Int. Appl., 125 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 5

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002062763	A2	20020815	WO 2002-US3361	20020207
	WO 2002062763	A3	20021010		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	US 2002165394	A1	20021107	US 2001-777920	A 20010207
				US 2001-777920	20010207
				US 1999-115877P	P 19990113
				US 1999-257266	B2 19990225
				US 1999-425228	B2 19991022
				US 2001-758548	A2 20010112

PATENT FAMILY INFORMATION:

FAN 2000:493376

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2000041698	A1	20000720	WO 2000-US768	20000113
	W:	AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
				US 1999-115878P	P 19990113
				US 1999-257265	A2 19990225
				US 1999-425229	A2 19991022
	CA 2359244	AA	20000720	CA 2000-2359244	20000113
				US 1999-115878P	P 19990113
				US 1999-257265	A 19990225
				US 1999-425229	A 19991022
				WO 2000-US768	W 20000113
	EP 1158985	A1	20011205	EP 2000-905597	20000113
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO			
				US 1999-115878P	P 19990113
				US 1999-257265	A 19990225
				US 1999-425229	A 19991022
				WO 2000-US768	W 20000113
	US 2003139605	A1	20030724	US 2002-71248	20020211
				US 1999-115877P	P 19990113
				US 1999-115878P	P 19990113
				US 1999-257266	B2 19990225
				US 1999-425228	B1 19991022

10071248

12/19/05

US 2003105091	A1	20030605	US 2001-948915	A1 20010910
			US 2002-86417	20020304
			US 1999-115878P	P 19990113
			US 1999-257265	B2 19990225
			US 1999-425229	B1 19991022
FAN 2000:493516				
PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	-----	-----	-----	-----
PI WO 2000042012	A1	20000720	WO 2000-US648	20000112
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU,				
CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL,				
IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA,				
MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI,				
SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM,				
AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,				
DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF,				
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
			US 1999-115877P	P 19990113
			US 1999-257266	A2 19990225
			US 1999-425228	A2 19991022
CA 2359510	AA	20000720	CA 2000-2359510	20000112
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
			WO 2000-US648	W 20000112
AU 2000025016	A5	20000801	AU 2000-25016	20000112
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
			WO 2000-US648	W 20000112
EP 1140840	A1	20011010	EP 2000-903239	20000112
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,				
IE, SI, LT, LV, FI, RO				
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
			WO 2000-US648	W 20000112
EE 200100368	A	20030415	EE 2001-368	20000112
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
			WO 2000-US648	W 20000112
JP 2003526613	T2	20030909	JP 2000-593580	20000112
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
			WO 2000-US648	W 20000112
BR 2000007487	A	20030923	BR 2000-7487	20000112
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
			WO 2000-US648	W 20000112
US 2001011135	A1	20010802	US 2001-773659	20010202
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	A1 19991022
US 2001011136	A1	20010802	US 2001-773675	20010202
			US 1999-115877P	P 19990113

10071248

12/19/05

			US 1999-257266	B2 19990225
			US 1999-425228	A1 19991022
US 2001016659	A1	20010823	US 2001-773672	20010202
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
US 2001027202	A1	20011004	US 1999-425228	A1 19991022
			US 2001-773658	20010202
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
US 2001034447	A1	20011025	US 1999-425228	A1 19991022
			US 2001-773604	20010202
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
NO 2001003463	A	20010912	US 1999-425228	A1 19991022
			NO 2001-3463	20010712
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
ZA 2001005751	A	20030714	WO 2000-US648	W 20000112
			ZA 2001-5751	20010712
US 2002137774	A1	20020926	US 1999-115877P	P 19990113
			US 2001-907970	20010719
BG 105763	A	20020329	US 1999-115877P	P 19990113
			BG 2001-105763	20010801
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
HR 2001000580	A1	20020831	WO 2000-US648	W 20000112
			HR 2001-580	20010802
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
US 2002042517	A1	20020411	WO 2000-US648	W 20000112
			US 2001-948915	20010910
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
US 2003139605	A1	20030724	US 1999-425228	B1 19991022
			US 2002-71248	20020211
			US 1999-115877P	P 19990113
			US 1999-115878P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	B1 19991022
			US 2001-948915	A1 20010910
FAN 2002:409267				
PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
PI US 2002065296	A1	20020530	US 2001-838286	20010420
			US 1999-115878P	P 19990113
			US 1999-257265	B1 19990225
			US 1999-425229	A2 19991022
			US 2001-778039	A2 20010207
US 2003139605	A1	20030724	US 2002-71248	20020211
			US 1999-115877P	P 19990113
			US 1999-115878P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	B1 19991022
			US 2001-948915	A1 20010910
CA 2443952	AA	20021031	CA 2002-2443952	20020417
			US 2001-838286	A 20010420


10071248

12/19/05

WO 2002085859	A1	20021031	WO 2002-US12064	W	20020417
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM		WO 2002-US12064		20020417
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1379507	A1	20040114	US 2001-838286	A	20010420
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR		EP 2002-725709		20020417
			US 2001-838286	A	20010420
JP 2004537511	T2	20041216	WO 2002-US12064	W	20020417
			JP 2002-583386		20020417
			US 2001-838286	A	20010420
			WO 2002-US12064	W	20020417
FAN 2002:850357					
PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
-----	-----	-----	-----	-----	
PI US 2002165394	A1	20021107	US 2001-777920		20010207
			US 1999-115877P	P	19990113
			US 1999-257266	B2	19990225
			US 1999-425228	B2	19991022
			US 2001-758548	A2	20010112
ZA 2001005751	A	20030714	ZA 2001-5751		20010712
			US 1999-115877P	P	19990113
US 2002137774	A1	20020926	US 2001-907970		20010719
			US 1999-115877P	P	19990113
WO 2002062763	A2	20020815	WO 2002-US3361		20020207
WO 2002062763	A3	20021010			
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
US 2003139605	A1	20030724	US 2001-777920	A	20010207
			US 2002-71248		20020211
			US 1999-115877P	P	19990113
			US 1999-115878P	P	19990113
			US 1999-257266	B2	19990225
			US 1999-425228	B1	19991022
			US 2001-948915	A1	20010910
OS MARPAT 137:169425					
L7 ANSWER 14 OF 15 CAPLUS COPYRIGHT 2005 ACS on STN					
GI					

10071248

12/19/05



AB This invention relates to the preparation and use of (hetero)aryl ureas ANHCONHB [I; A = L(ML1)q; L = 5- or 6-membered (hetero)aryl, especially Ph or pyridinyl; M = bridging group; L1 = (hetero)aryl with at least one (un)substituted sulfamoyl, carboxy, or carbamoyl substituent; q = 1-3; B = certain (un)substituted mono- to tricyclic aryl or heteroaryl groups] for the treatment of raf mediated diseases, such as cancer (no data). Approx. 100 invention compds. and numerous intermediates were prepared For instance, 3-tert-butylaniline was coupled with bis(trichloromethyl)carbonate to form the isocyanate, followed by addition of 4-(3-N-methylcarbamoylphenoxy)aniline (preparation given) to afford the urea II.

AN 2000:493516 CAPLUS

DN 133:120157

TI Preparation of ω-carboxy(hetero)aryl substituted diphenyl ureas as raf kinase inhibitors

IN Riedl, Bernd; Dumas, Jacques; Khire, Uday; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.; Wood, Jill E.; Monahan, Mary-Katherine; Natero, Reina; Renick, Joel; Sibley, Robert N.

PA Bayer Corporation, USA

SO PCT Int. Appl., 120 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 5

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2000042012	A1	20000720	WO 2000-US648	20000112
	W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
				US 1999-115877P	P 19990113
				US 1999-257266	A2 19990225
				US 1999-425228	A2 19991022
	CA 2359510	AA	20000720	CA 2000-2359510	20000112
				US 1999-115877P	P 19990113
				US 1999-257266	A 19990225
				US 1999-425228	A 19991022
				WO 2000-US648	W 20000112
	AU 2000025016	A5	20000801	AU 2000-25016	20000112
				US 1999-115877P	P 19990113
				US 1999-257266	A 19990225
				US 1999-425228	A 19991022
				WO 2000-US648	W 20000112

10071248

12/19/05

EP 1140840	A1	20011010	EP 2000-903239	20000112
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
			WO 2000-US648	W 20000112
EE 200100368	A	20030415	EE 2001-368	20000112
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
			WO 2000-US648	W 20000112
JP 2003526613	T2	20030909	JP 2000-593580	20000112
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
			WO 2000-US648	W 20000112
BR 2000007487	A	20030923	BR 2000-7487	20000112
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
			WO 2000-US648	W 20000112
US 2001011135	A1	20010802	US 2001-773659	20010202
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	A1 19991022
US 2001011136	A1	20010802	US 2001-773675	20010202
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	A1 19991022
US 2001016659	A1	20010823	US 2001-773672	20010202
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	A1 19991022
US 2001027202	A1	20011004	US 2001-773658	20010202
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	A1 19991022
US 2001034447	A1	20011025	US 2001-773604	20010202
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	A1 19991022
NO 2001003463	A	20010912	NO 2001-3463	20010712
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
			WO 2000-US648	W 20000112
ZA 2001005751	A	20030714	ZA 2001-5751	20010712
			US 1999-115877P	P 19990113
US 2002137774	A1	20020926	US 2001-907970	20010719
			US 1999-115877P	P 19990113
BG 105763	A	20020329	BG 2001-105763	20010801
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225
			US 1999-425228	A 19991022
			WO 2000-US648	W 20000112
HR 2001000580	A1	20020831	HR 2001-580	20010802
			US 1999-115877P	P 19990113
			US 1999-257266	A 19990225

10071248

12/19/05

US 2002042517	A1	20020411	US 1999-425228	A	19991022
			WO 2000-US648	W	20000112
			US 2001-948915		20010910
			US 1999-115877P	P	19990113
			US 1999-257266	B2	19990225
US 2003139605	A1	20030724	US 1999-425228	B1	19991022
			US 2002-71248		20020211
			US 1999-115877P	P	19990113
			US 1999-115878P	P	19990113
			US 1999-257266	B2	19990225
			US 1999-425228	B1	19991022
			US 2001-948915	A1	20010910

PATENT FAMILY INFORMATION:

FAN 2000:493376

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2000041698	A1	20000720	WO 2000-US768	20000113
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
			US 1999-115878P	P 19990113
			US 1999-257265	A2 19990225
			US 1999-425229	A2 19991022
CA 2359244	AA	20000720	CA 2000-2359244	20000113
			US 1999-115878P	P 19990113
			US 1999-257265	A 19990225
			US 1999-425229	A 19991022
			WO 2000-US768	W 20000113
EP 1158985	A1	20011205	EP 2000-905597	20000113
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
			US 1999-115878P	P 19990113
			US 1999-257265	A 19990225
			US 1999-425229	A 19991022
			WO 2000-US768	W 20000113
US 2003139605	A1	20030724	US 2002-71248	20020211
			US 1999-115877P	P 19990113
			US 1999-115878P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	B1 19991022
			US 2001-948915	A1 20010910
US 2003105091	A1	20030605	US 2002-86417	20020304
			US 1999-115878P	P 19990113
			US 1999-257265	B2 19990225
			US 1999-425229	B1 19991022
FAN 2002:409267				
PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI US 2002065296	A1	20020530	US 2001-838286	20010420
			US 1999-115878P	P 19990113
			US 1999-257265	B1 19990225
			US 1999-425229	A2 19991022
			US 2001-778039	A2 20010207

10071248

12/19/05

US 2003139605	A1	20030724	US 2002-71248	20020211
			US 1999-115877P	P 19990113
			US 1999-115878P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	B1 19991022
			US 2001-948915	A1 20010910
CA 2443952	AA	20021031	CA 2002-2443952	20020417
			US 2001-838286	A 20010420
			WO 2002-US12064	W 20020417
WO 2002085859	A1	20021031	WO 2002-US12064	20020417
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
			US 2001-838286	A 20010420
EP 1379507	A1	20040114	EP 2002-725709	20020417
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
			US 2001-838286	A 20010420
			WO 2002-US12064	W 20020417
JP 2004537511	T2	20041216	JP 2002-583386	20020417
			US 2001-838286	A 20010420
			WO 2002-US12064	W 20020417
FAN 2002:615574				
PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	-----	-----	-----	-----
PI WO 2002062763	A2	20020815	WO 2002-US3361	20020207
WO 2002062763	A3	20021010		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
			US 2001-777920	A 20010207
US 2002165394	A1	20021107	US 2001-777920	20010207
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	B2 19991022
			US 2001-758548	A2 20010112
FAN 2002:850357				
PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	-----	-----	-----	-----
PI US 2002165394	A1	20021107	US 2001-777920	20010207
			US 1999-115877P	P 19990113
			US 1999-257266	B2 19990225
			US 1999-425228	B2 19991022
			US 2001-758548	A2 20010112
ZA 2001005751	A	20030714	ZA 2001-5751	20010712
			US 1999-115877P	P 19990113
US 2002137774	A1	20020926	US 2001-907970	20010719

10071248

12/19/05


WO 2002062763 A2 20020815 US 1999-115877P P 19990113
WO 2002062763 A3 20021010 WO 2002-US3361 20020207
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL,
PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG,
US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,
CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,
BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
US 2003139605 A1 20030724 US 2001-777920 A 20010207
US 2002-71248 20020211
US 1999-115877P P 19990113
US 1999-115878P P 19990113
US 1999-257266 B2 19990225
US 1999-425228 B1 19991022
US 2001-948915 A1 20010910

OS MARPAT 133:120157

RE.CNT 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 15 OF 15 CAPLUS COPYRIGHT 2005 ACS on STN

GI



AB The title compds. ADB [I; D = NHCONH; A = substituted moiety of up to 40 carbon atoms of the formula L(ML1)q (wherein L = 5-6 membered cyclic structure; L1 = substituted cyclic moiety having at least 5 members; M = bridging group having at least one atom; q = 1-3; each of L and L1 contains 0-4 members of the group consisting of N, O and S); B = (un)substituted up to tricyclic aryl or heteroaryl moiety of up to 30 carbon atoms with at least one 6-member cyclic structure bound directly to D containing 0-4 members of the group consisting of N, O and S], useful in treating p38 mediated diseases, were prepared E.g., a multi-step synthesis of the urea II which showed IC50 of 1-10 μ M against p38, was given. Compds. I are effective at 0.01-200 mg/kg/day (oral administration).

AN 2000:493376 CAPLUS

DN 133:120155

TI Preparation of ω -carboxy aryl substituted diphenyl ureas as p38 kinase inhibitors

IN Riedl, Bernd; Dumas, Jacques; Khire, Uday; Lowinger, Timothy B.; Scott, William J.; Smith, Roger A.; Wood, Jill E.; Monahan, Mary-Katherine; Natero, Reina; Renick, Joel; Sibley, Robert N.

PA Bayer Corporation, USA

SO PCT Int. Appl., 148 pp.

CODEN: PIXXD2

DT Patent

10071248

12/19/05

LA English
FAN.CNT 5

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2000041698	A1	20000720	WO 2000-US768	20000113
	W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
				US 1999-115878P	P 19990113
				US 1999-257265	A2 19990225
				US 1999-425229	A2 19991022
	CA 2359244	AA	20000720	CA 2000-2359244	20000113
				US 1999-115878P	P 19990113
				US 1999-257265	A 19990225
				US 1999-425229	A 19991022
				WO 2000-US768	W 20000113
	EP 1158985	A1	20011205	EP 2000-905597	20000113
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
				US 1999-115878P	P 19990113
				US 1999-257265	A 19990225
				US 1999-425229	A 19991022
				WO 2000-US768	W 20000113
	US 2003139605	A1	20030724	US 2002-71248	20020211
				US 1999-115877P	P 19990113
				US 1999-115878P	P 19990113
				US 1999-257266	B2 19990225
				US 1999-425228	B1 19991022
				US 2001-948915	A1 20010910
	US 2003105091	A1	20030605	US 2002-86417	20020304
				US 1999-115878P	P 19990113
				US 1999-257265	B2 19990225
				US 1999-425229	B1 19991022

PATENT FAMILY INFORMATION:

FAN 2000:493516

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2000042012	A1	20000720	WO 2000-US648	20000112
	W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
				US 1999-115877P	P 19990113
				US 1999-257266	A2 19990225
				US 1999-425228	A2 19991022
	CA 2359510	AA	20000720	CA 2000-2359510	20000112
				US 1999-115877P	P 19990113
				US 1999-257266	A 19990225

10071248

12/19/05

			US 1999-425228	A	19991022
			WO 2000-US648	W	20000112
AU 2000025016	A5	20000801	AU 2000-25016		20000112
			US 1999-115877P	P	19990113
			US 1999-257266	A	19990225
			US 1999-425228	A	19991022
			WO 2000-US648	W	20000112
EP 1140840	A1	20011010	EP 2000-903239		20000112
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO					
			US 1999-115877P	P	19990113
			US 1999-257266	A	19990225
			US 1999-425228	A	19991022
			WO 2000-US648	W	20000112
EE 200100368	A	20030415	EE 2001-368		20000112
			US 1999-115877P	P	19990113
			US 1999-257266	A	19990225
			US 1999-425228	A	19991022
			WO 2000-US648	W	20000112
JP 2003526613	T2	20030909	JP 2000-593580		20000112
			US 1999-115877P	P	19990113
			US 1999-257266	A	19990225
			US 1999-425228	A	19991022
			WO 2000-US648	W	20000112
BR 2000007487	A	20030923	BR 2000-7487		20000112
			US 1999-115877P	P	19990113
			US 1999-257266	A	19990225
			US 1999-425228	A	19991022
			WO 2000-US648	W	20000112
US 2001011135	A1	20010802	US 2001-773659		20010202
			US 1999-115877P	P	19990113
			US 1999-257266	B2	19990225
			US 1999-425228	A1	19991022
US 2001011136	A1	20010802	US 2001-773675		20010202
			US 1999-115877P	P	19990113
			US 1999-257266	B2	19990225
			US 1999-425228	A1	19991022
US 2001016659	A1	20010823	US 2001-773672		20010202
			US 1999-115877P	P	19990113
			US 1999-257266	B2	19990225
			US 1999-425228	A1	19991022
US 2001027202	A1	20011004	US 2001-773658		20010202
			US 1999-115877P	P	19990113
			US 1999-257266	B2	19990225
			US 1999-425228	A1	19991022
US 2001034447	A1	20011025	US 2001-773604		20010202
			US 1999-115877P	P	19990113
			US 1999-257266	B2	19990225
			US 1999-425228	A1	19991022
NO 2001003463	A	20010912	NO 2001-3463		20010712
			US 1999-115877P	P	19990113
			US 1999-257266	A	19990225
			US 1999-425228	A	19991022
			WO 2000-US648	W	20000112
ZA 2001005751	A	20030714	ZA 2001-5751		20010712
			US 1999-115877P	P	19990113
US 2002137774	A1	20020926	US 2001-907970		20010719
			US 1999-115877P	P	19990113
BG 105763	A	20020329	BG 2001-105763		20010801

10071248

12/19/05

				US 1999-115877P	P	19990113
				US 1999-257266	A	19990225
				US 1999-425228	A	19991022
				WO 2000-US648	W	20000112
HR 2001000580	A1	20020831		HR 2001-580		20010802
				US 1999-115877P	P	19990113
				US 1999-257266	A	19990225
				US 1999-425228	A	19991022
				WO 2000-US648	W	20000112
US 2002042517	A1	20020411		US 2001-948915		20010910
				US 1999-115877P	P	19990113
				US 1999-257266	B2	19990225
				US 1999-425228	B1	19991022
US 2003139605	A1	20030724		US 2002-71248		20020211
				US 1999-115877P	P	19990113
				US 1999-115878P	P	19990113
				US 1999-257266	B2	19990225
				US 1999-425228	B1	19991022
				US 2001-948915	A1	20010910
FAN 2002:409267						
PATENT NO.	KIND	DATE		APPLICATION NO.		DATE
-----	-----	-----		-----		-----
PI US 2002065296	A1	20020530		US 2001-838286		20010420
				US 1999-115878P	P	19990113
				US 1999-257265	B1	19990225
				US 1999-425229	A2	19991022
				US 2001-778039	A2	20010207
US 2003139605	A1	20030724		US 2002-71248		20020211
				US 1999-115877P	P	19990113
				US 1999-115878P	P	19990113
				US 1999-257266	B2	19990225
				US 1999-425228	B1	19991022
				US 2001-948915	A1	20010910
CA 2443952	AA	20021031		CA 2002-2443952		20020417
				US 2001-838286	A	20010420
				WO 2002-US12064	W	20020417
WO 2002085859	A1	20021031		WO 2002-US12064		20020417
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,						
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,						
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,						
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL,						
PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG,						
US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM						
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,						
CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,						
BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG						
				US 2001-838286	A	20010420
EP 1379507	A1	20040114		EP 2002-725709		20020417
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,						
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR						
				US 2001-838286	A	20010420
				WO 2002-US12064	W	20020417
JP 2004537511	T2	20041216		JP 2002-583386		20020417
				US 2001-838286	A	20010420
				WO 2002-US12064	W	20020417
FAN 2002:615574						
PATENT NO.	KIND	DATE		APPLICATION NO.		DATE
-----	-----	-----		-----		-----
PI WO 2002062763	A2	20020815		WO 2002-US3361		20020207

10071248

12/19/05

WO 2002062763 A3 20021010
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL,
PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG,
US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,
CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,
BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
US 2001-777920 A 20010207
US 2002165394 A1 20021107 US 2001-777920 20010207
US 1999-115877P P 19990113
US 1999-257266 B2 19990225
US 1999-425228 B2 19991022
US 2001-758548 A2 20010112

FAN 2002:850357
PATENT NO. KIND DATE APPLICATION NO. DATE

PI US 2002165394 A1 20021107 US 2001-777920 20010207
US 1999-115877P P 19990113
US 1999-257266 B2 19990225
US 1999-425228 B2 19991022
US 2001-758548 A2 20010112
ZA 2001005751 A 20030714 ZA 2001-5751 20010712
US 1999-115877P P 19990113
US 2002137774 A1 20020926 US 2001-907970 20010719
US 1999-115877P P 19990113
WO 2002062763 A2 20020815 WO 2002-US3361 20020207
WO 2002062763 A3 20021010
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL,
PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG,
US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,
CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,
BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
US 2001-777920 A 20010207
US 2003139605 A1 20030724 US 2002-71248 20020211
US 1999-115877P P 19990113
US 1999-115878P P 19990113
US 1999-257266 B2 19990225
US 1999-425228 B1 19991022
US 2001-948915 A1 20010910

OS MARPAT 133:120155

RE.CNT 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

10071248